



OCTOBER 2020

SOUTH DAKOTA STATE UNIVERSITY®
AGRONOMY, HORTICULTURE, & PLANT SCIENCE DEPARTMENT

2020 South Dakota Soybean Variety Trial Results South Shore

Jonathan Kleinjan | SDSU Extension Crop Production Associate

Kevin Kirby | Agricultural Research Manager

Shawn Hawks | Agricultural Research Manager

Location:	8.5 miles west of South Shore (57263) in Codington County, SD (GPS: 45.106773°, -97.096968°)
Cooperator:	SDSU Northeast Research Farm - Allen Heuer, manager
Soil Type:	Kranzburg-Brookings silty clay loams, 0-2% slope
Fertilizer:	None
Previous crop:	Spring Wheat
Tillage:	Conventional
Row spacing:	30 inches
Seeding Rate:	150,000/acre
Herbicide:	Pre: 1 pt/acre Dual II Magnum (s-metolachlor) + 5 oz/acre Antares (sulfentrazone) Post: 32 oz Roundup (glyphosate)
Insecticide:	None
Date seeded:	5/18/2020
Date harvested:	10/1/2020

Table 1. Glyphosate-resistant soybean variety performance results (average of 4 replications - **Maturity Groups 0 & 1** at South Shore, SD).

Variety Information		Agronomic Performance			
Brand	Variety	Maturity Rating	Yield (bu/ac@13%)	Moisture (%)	Lodging Score (1-5)*
Renk Seed	RS149NX	1.4	71.0	10.6	1.0
Dairyland Seed	DSR-1673E	1.6	68.9	11.2	1.0
Renk Seed	RS150NX	1.5	68.0	11.0	1.0
Dairyland Seed	DSR-0920E	0.9	67.9	10.9	1.0
Dairyland Seed	DSR-1318E	1.3	66.0	11.0	1.0
Farmer Check 2	S11-E3	1.1	65.9	11.1	1.3
Renk Seed	RS100NX	1.0	65.9	10.5	1.0
Genesis	G1340E	1.3	65.6	10.8	1.0
Genesis	G1450E	1.4	64.6	11.3	1.3
LG Seeds	LGS0735RX	0.7	64.4	10.5	1.0
Dairyland Seed	DSR-0645E	0.6	64.0	10.8	1.5
LG Seeds	LGS1221RX	1.2	63.6	10.5	1.0
Peterson Farms Seed	20X12N	1.2	63.5	10.4	1.5
P3 Genetics	2013E	1.3	63.3	11.1	1.0
Farmer Check 1	AE0600	0.6	63.0	10.7	1.0
P3 Genetics	1911E	1.1	62.8	10.9	1.0
P3 Genetics	2013B	1.3	62.4	11.3	1.5
Check	14X0	1.4	60.7	10.7	1.0
Trial Average			65.1	10.8	1.1
LSD (0.05)†			3.2	0.4	-
C.V.‡			3.5	2.3	-

* Lodging percentage - stalks broken below the ear as a percentage of the final stand.

† Yield or moisture value required (\geq LSD) to determine if varieties are significantly different from one another.

‡ C.V. is a measure of variability or experimental error, 15% or less is acceptable.