



# 2019 South Dakota Oat Variety Trial Results Aberdeen

Jonathan Kleinjan | SDSU Extension Crop Production Associate

Kevin Kirby | Agricultural Research Manager

Shawn Hawks | Agricultural Research Manager

**Cooperator:** Locken Farms  
**Location:** 45.489653°, -98.562760°  
**Soil Type:** Barnes-Svea loams, 0-3% slopes  
**Previous crop:** Soybeans  
**Tillage:** No-till  
**Row spacing:** 8"  
**Seeding Rate:** 1.2 million PLS/acre  
**Fertilizer:**  
     **-Starter:** 90 lb/acre 30-10-10  
     **-Other:** 136-30-40-19S-1Z preplant broadcast  
**Herbicide:**  
     **-Burndown:** none  
     **-Post:** none  
**Fungicide:** none  
**Date seeded:** 5/3/2019  
**Date harvested:** 8/15/2019

Table 1. 2019 oat variety performance trial results (average of 4 replications) at Aberdeen, SD. Entries are sorted by overall 3-year yield. Varieties yielding in the top 1/3 of the trial are shaded light blue.

Variety	Height (in)	Lodging* (1-5)	Test Wt (lbs)	2017 (bu/a)	2018 (bu/a)	2019 (bu/a)	2-year (bu/a)	3-year (bu/a)
CS Camden	42	4.0	27.9	80.5	89.5	123.5	106.5	97.8
Warrior	41	2.5	34.2	72.9	71.7	141.1	106.4	95.2
SD140515	40	2.0	35.3	69.2	70.1	136.3	103.2	91.9
Deon	43	3.5	31.9	63.4	72.6	132.0	102.3	89.3
Hayden	43	5.0	30.5	77.0	82.1	92.0	87.1	83.7
Goliath	45	4.8	30.4	70.2	75.3	100.4	87.8	82.0
Natty	46	5.0	30.7	73.8	69.4	102.6	86.0	82.0
Jury	43	4.5	28.1	79.5	69.7	90.7	80.2	80.0
Shelby427	41	4.8	31.8	78.9	67.7	85.6	76.6	77.4
Newburg	41	5.0	24.8	72.5	68.2	86.6	77.4	75.8
Antigo	38	3.5	35.0	59.2	51.4	115.2	83.3	75.2
Saddle	37	1.0	33.4	48.2	56.4	119.6	88.0	74.7
Sumo	37	1.5	35.7	48.7	53.1	105.9	79.5	69.2
Jerry	41	4.5	31.0	57.2	55.4	91.3	73.3	67.9
Horsepower	36	4.8	25.6	69.8	63.8	62.2	63.0	65.3
MN Pearl	41	4.0	32.5	-	-	147.4	-	-
<b>Trial Average#</b>	41	3.5	32.2	68.1	67.8	108.3	86.7	80.5
<b>LSD(0.05)†</b>	-	-	1.2	9.7	8.0	9.3	-	-
<b>C.V.%‡</b>	-	-	2.8	10.4	8.1	5.4	-	-

\* Lodging score: 1, perfectly standing; to 5, completely flat.

# Trial averages may include values from experimental lines that are not reported.

† Value required ( $\geq$ LSD) to determine if varieties are significantly different from one another.

‡ C.V. is a measure of variability or experimental error, 15% or less is considered acceptable.